

connectadock.com

Make a Connection to Life®







#### However You Connect It — Make It Your Own

A lifetime of waterfront adventures awaits your family with the Connect-A-Dock floating dock system. Easy to install and engineered to last, the modular sections can be configured to build docks for boating, rowing, fishing, swimming, and anything else you can imagine. Perfect for homes, parks, and resorts.

Enjoy time around the water and create lifelong memories with Connect-A-Dock. Make your dock an extension of your life.

### Why a modular floating dock?

The total design versatility of Connect-A-Dock means that every dock is unique! The modules can be connected end to end or side to side allowing you to configure them as long or as wide as you want. With an assortment of sizes and accessories, Connect-A-Dock is perfect for numerous applications in water or on land. See our complete product line at connectadock.com and plan your own installation.

Its 5 minute (per module) attachment system means easy installation and the rotationally molded polyethylene construction ensures years of dependable service.

## **Applications**

- Floating Dock Slip
- Walkway for Marshy Wetlands
- Floating Dock for Cabins and Farm Ponds
- Airplane Docks for Fly-In Fishing
- Swim Platforms
- Moorings for Boats
- Rowing/Sculling Docks
- Ideal in Fluctuating Water Levels

#### **Benefits**

- Modular Design
- Easy to Install
- Wood Grain Anti-Skid Surface
- UV Protected
- Environmentally Friendly
- Does not Contain CCA
- Salt Water Safe
- 8-Year Product Warranty

## Find a dealer in your area — 877-742-3071 | connectadock.com





## Quick and Easy to Install —









Float Section FS1120 1000 Series - Low Profile

A A A A A

90" x 120" x 10" (228.6 cm x 304.8 cm x 25.4 cm) Maximum flotation: 2800 lbs (1270 kg) per module Freeboard: 8" (20.32 cm) above the water



2000 Series - High Profile 72" x 120" x 20" (182.9 cm x 304.8 cm x 51 cm Maximum flotation: 4800 lbs (2177 kg) per module Freeboard: 17" (43.18 cm) above the water



Yakport - Kayak Launch Personal paddle sport launch-stable cradle for boarding and unloading

**Finishing Connector** Smooths out the dock edge



**Float Connector** Connects float modules together



**Pole Connector** Anchors dock with pipe



2000 Series Bumper Attaches in the float section sockets



Dead Man Collar Fits into pole connector



Boat tie-down



Five sizes



**Piling Loop** Anchors to existing piling poles



Guardrail For safety

Gangway 4' x 4', 4' x 8' and 4' x 12' sizes Pre-assembled panels and light weight aluminum frame

the ir of the



2000 Series Bench Designed to seat two people comfortably









ect-A-Dock warrants to the original owner all polyethylene plastic components for eight (8) years from date of purchase to be free of defects in material and workmanship and to perform properly under normal usage and when "fully assembled according to structions provided at the time of purchase. "Fully Assembled: Install float connectors into all float section sockets where other float sections will be attached. Connect-A-Port has a five (5) limited warranty. All other accessories have a one (1) year limited warranty. For a copy Connect-A-Port competer warranty to be valid, original sales receipt must accompany warranty is only valid in U.S.A. and Canada. Should you have a warranty claim, we may require that you provide a photograph or, in some cases, return the Connect-A-Dock part to the place of ase. In order for warranty to be valid, original sales receipt must accompany warranty claim. NOTE: Shipping costs are not included in warranty. NOTE. All plastic has an inherent ncy to create static electricity. If you have a concern, contact Connect-A-Dock connect-A-Dock reserves the right to make changes without prior notice. 03/2021

**Power Pedestal** 

Water & Electrical



# Modular Floating Dock Systems

Connect-A-Dock 1501 Owner Avenue Atlantic, IA 50022 USA Manufactured by Elkhart Plastics







#### **Personal Watercraft Docking**

72" x 156" x 23" (182.88 cm x 396.24 cm x 58.42 cm) Maximum flotation: 2000 lbs (907.2 kg) Weight: 375 lbs (170.1 kg)

## Applications

- One-, Two- Or Three-Seat Personal Watercraft
- Ultra Tough, Polyethylene Construction
- Twelve Rollers
- Bow Stop
- Cable & Clip for Securing Pwc
- Multiple Molded-In Tie Down Handles
- Anti-Skid Walk Area
- Universal Hull Support
- Front or Side Mounting
- 5-Year Product Warranty

#### Options

Mooring to Connect-A-Dock 2000 Series (Front Or Side)

111

- Attachment Kit for Fixed or Floating Docks
- Side By Side Connecting
- Bow Stop Winch
- Five Colors



